

13.0 REFERENCES

- Adami, H., Bergstrom, R., Mohner, M., Zaronski, W., Storm, H., Ekbom, A., Tretli, S., Teppo, L., Ziegler, H., and Rahu, M. (1994) Testicular cancer in nine Northern European countries. *Int J Cancer* 59:33-38.
- Ankley, G., Mihaich, E., Stahl, R., Tillitt, D., Colborn, T., McMaster, S., Miller, R., Bantle, J., Campbell, P., Denslow, N., Dickerson, R., Folmar, L., Fry, M., Giesy, J., Gray, L.E., Guiney, P., Hutchinson, T., Kennedy, S., Kramer, V., LeBlanc, G., Mayes, M., Nimrod, A., Patino, R., Peterson, R., Purdy, R., Ringer, R., Thomas, P., Touart, L., Van der Kraak, G., and Zacharewski, T. (1998) Overview of a workshop on screening methods for detecting potential (anti-) estrogenic/androgenic chemicals in wildlife. *Environ Toxicol and Chem* 17:68-87.
- Barlow, S., Kavlock, R.J., Moore, J.A., Schantz, S.L., Sheehan, D.M., Shuey, D.L., and Lary, J.M. (1999) Teratology Society Public Affairs Committee position paper: developmental toxicity of endocrine disruptors to humans. *Teratology* 60:365-375.
- Baulieu, E.E., and Raynaud, J.P. (1970) A "proportion graph" method for measuring binding systems. *Eur J Biochem* 13:293-304.
- Blair, R.M., Fang, H., Branham, W.S., Hass, B.S., Dial, S.L., Moland, C.L., Tong, W., Shi, L., Perkins, R., and Sheehan, D.M. (2000) The estrogen receptor relative binding affinities of 188 natural and xenochemicals: Structural diversity of ligands. *Toxicol Sci* 54:138-153.
- Bolger, R., Wiese, T.E., Ervin, K., Nestich, S., and Checovich, W. (1998) Rapid screening of environmental chemicals for estrogen receptor binding capacity. *Environ Health Perspect* 106:551-557.
- Bortone, S.A., Davis, W.P., and Bundrick, C.M. (1989) Morphological and behavioral characters in mosquitofish as potential bioindication of exposure to kraft mill effluent. *Bull Environ Contam Toxicol* 43:370-377.
- Brzozowski, A.M., Pike, A.C.W., Dauter, Z., Hubbard, R.E., Bonn, T., Engstrom, O., Ohman, L., Greene, G.L., Gustafsson, J.-Å., and Carlquist, M. (1997) Molecular basis of agonism and antagonism in the oestrogen receptor. *Nature* 389:753-758.
- Carlsen, E., Giwercman, A., Keiding, N., and Skakkbaek, N.E. (1992) Evidence for decreasing quality of semen during the last 50 years. *Brit Med J* 305:609-613.
- Charles, G.D., Bartels, M.J., Gennings, C., Zacharewski, T.R., Freshour, N.L., Gollapudi, B.B., and Carney, E.W. (2000) Incorporation of S-9 activation into an ER- transactivation assay. *Reprod Toxicol* 14: 207-216.
- Checovich, W.J., Bolger, R.E., and Burke, T. (1995) Fluorescence polarization -- a new tool for cell and molecular biology. *Nature* 375:254-256.

Cheng, Y., and Prusoff, W.H. (1973) Relationship between the inhibition constant (Ki) and the concentration of inhibitor which causes 50 per cent inhibition (I₅₀) of an enzymatic reaction. Biochem Pharmacol 22:3099-108.

Cheskis, B.J., Karathanasis, S., and Lytle C.R. (1997) Estrogen receptor ligands modulate its interaction with DNA. J Biol Chem 272:11384-11391.

Clark, J.H., and Gorski, J. (1969) Estrogen-receptors: An evaluation of cytoplasmic-nuclear interactions in a cell-free system, and a method for assay. Biochim Biophys Acta 192:508-515.

Combes, R.D. (2000) Endocrine disruptors: A critical review of *in vitro* testing strategies for assessing their toxic hazard to humans. ATLA 28:81-118.

Dandliker, W.B., Hsu, M.L., Levin, J., and Rao, B.R. (1981) Equilibrium and kinetic inhibition assays based upon fluorescence polarization. Methods Enzymol 74:3-28.

Erdos, T., Best-Belpomme, M., and Bessada, R. (1970) A rapid assay for binding estradiol to uterine receptor(s). Anal Biochem 37:244-252.

Fang, H., Tong, W., Shi, L.M., Blair, R., Perkins, R., Branham, W., Hass, B.S., Xie, Q., Dial, S.L., Moland, C.L., and Sheehan, D.M. (2001) Structure-activity relationships for a large diverse set of natural, synthetic, and environmental estrogens. Chem Res Toxicol 14:280-294.

FDA. (2002) Good laboratory practices for nonclinical laboratory studies. 21 CFR 58.

Federal Food, Drug, and Cosmetic Act (FFDCA) of 1996. 21 CFR 9.

Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) of 1947 (7 U.S.C. 1947) and FIFRA amendments (1972, 1975, 1978, 1980).

Federal Register (Vol. 66, No. 57, pp. 16278 – 16279. March 23, 2001). Available: <http://iccvam.niehs.nih.gov/methods/endocrine.htm> [accessed 15 July 2002].

Federal Register (Vol. 67, No. 66, pp. 16415-16416. April 5, 2002). Available: <http://iccvam.niehs.nih.gov/methods/endocrine.htm> [accessed 15 July 2002].

Folmar, L.C., Denslow, N.D., Rao, V., Chow, M., Crain, D.A., Enblom, J., Marcino, J., and Guillette, L.J., Jr. (1996) Vitellogenin induction and reduced serum testosterone concentrations in feral male carp (*Cyprinus carpio*) captured near a major metropolitan sewage treatment plant. Environ Health Perspect 104:1096-1101.

Gaido, K.W., Leonard, L.S., Maness, S.C., Hall, J.M., McDonnell, D.P., Saville, B., and Safe, S.H. (1999) Differential interaction of the methoxychlor metabolite 2,2-Bis-(*p*-hydroxyphenyl)-1,1,1-trichloroethane with estrogen receptors . Endocrinology 140:5746-5753.

Glass, A.G., and Hoover, R.N. (1990) Rising incidence of breast cancer relationship to age and receptor status. *J Natl Cancer Inst.* 82:693-696.

Gorski, J., Toft, D., Shyamala, G., Smith, D., and Notides, A. (1968) Hormone receptors: Studies on the interaction of estrogen with the uterus. *Recent Prog Hormone Res* 24:45-72.

Gray, L.E., Jr., Kelce, W.R., Wiese, T., Tyl, R., Gaido, K., Cook, J., Klinefelter, G., Desaulniers, D., Wilson, E., Zacharewski, T., Waller, C., Foster, P., Laskey, J., Reel, J., Giesy, J., Laws, S., McLachlan, J., Breslin, W., Cooper, R., DiGiulio, R., Johnson, R., Purdy, R., Mihaich, E., Safe, S., Sonnenschein, C., Welshons, W., Miller, R., McMaster, S., and Colborn, T. (1997) Endocrine screening methods workshop report: Detection of estrogenic and androgenic hormonal and antihormonal activity for chemicals that act via receptor or steroidogenic enzyme mechanisms. *Reprod Toxicol* 11: 719-750.

Hähnel, R. (1971) Properties of the estrogen receptor in the soluble fraction of human uterus. *Steroids* 17:105-132.

Hulme, E.C., and Birdsall, N.J.M. (1992) Chapter 4: Strategy and tactics in receptor-binding studies. *Receptor –Ligand Interactions: A Practical Approach*. Oxford University Press, NY. ed. Hulme, E.C. pp. 63 – 176.

Hwang, K.J., Carlson, K.E., Anstead, G.M., and Katzenellenbogen, J.A. (1992) Donor-accepted tetrahydrochrysenes, inherently fluorescent, high-affinity ligands for the estrogen receptor: binding and fluorescence characteristics and fluorometric assay of receptor. *Biochemistry* 31:11536-11545.

ICCVAM. (1999) Evaluation of the Validation Status of Toxicological Methods: General Guidelines for Submissions to ICCVAM. NIH Publication No. 99-9946. National Institute of Environmental Health Sciences, Research Triangle Park, North Carolina.

Available: <http://iccvam.niehs.nih.gov/docs/guidelines/subguide.pdf> [accessed 15 July 2002].

ICCVAM. (1997) Validation and Regulatory Acceptance of Toxicological Test Methods: A Report of the *ad hoc* Interagency Coordinating Committee on the Validation of Alternative Methods. NIH Publication No. 97-3981. National Institute of Environmental Health Sciences, Research Triangle Park, North Carolina.

Available: <http://iccvam.niehs.nih.gov/docs/guidelines/validate.pdf> [accessed 15 July 2002].

Jameson, D.M., and Sawyer, W.H. (1995) Fluorescence anisotropy applied to biomolecular interactions. *Methods Enzymol* 246:283-300.

Jensen, E.V., Suzuki, T., Kawashima, T., Stumpf, W.E., Jungblut, P.W., and DeSombre, E.R. (1968) A two-step mechanism for the interaction of estradiol with rat uterus. *Proc Natl Acad Sci USA* 59:632-638.

Jungblut, P.W., Hughes, S., Hughes, A., and Wagner, R.K. (1972) Evaluation of various methods for the assay of cytoplasmic oestrogen receptors in extracts of calf uteri and human breast cancers. *Acta Endocrinol* 70:185-195.

Kassis J.A., Walent J.H., and Gorski J. (1986) Estrogen receptors in cultured rat uterine cells: induction of progesterone receptors in the absence of estrogen receptor processing. *Endocrinology* 118:603-608.

Kavlock, R.J., Daston, G.P., DeRosa, C., Fenner-Crisp, P., Gray, L.E., Kaatari, S., Lucier, G., Luster, M., Mac, M.J., Maczka, C., Miller, R., Moore, J., Rolland, R., Scott, G., Sheehan, D.M., Sinks, T., and Tilson, H. (1996) Research needs for the risk assessment of health and environmental effects of endocrine disruptors: A report of the U.S. EPA-sponsored workshop. *Environ Health Perspect* 104(Suppl 4):715-740.

Korenman, S.G. (1970) Relation between estrogen inhibitory activity and binding to cytosol of rabbit and human uterus. *Endocrinology* 87:1119-1123.

Kuiper, G.G.J.M., Carlsson, B., Grandien, K., Enmark, E., Hagglad, J., Nilsson, S., and Gustafsson, J.-Å. (1997) Comparison of the ligand binding specificity and transcript tissue distribution of estrogen receptors . *Endocrinology* 138:863-870.

Kuiper G.G.J.M., and Gustafsson J.-Å. (1997) The novel estrogen receptor-beta subtype: potential role in the cell- and promoter-specifications of estrogens and anti-estrogens. *FEBS Lett* 410:87-90.

Kuiper, G.G.J.M., Lemmen, J.G., Carlsson, B., Corton, J.C., Safe, S.H., van der Saag, P.T., van der Burg, B., Gustafsson, J.-Å. (1998) Interaction of estrogenic chemicals and phytoestrogens with estrogen receptor . *Endocrinology* 139:4252-4263.

Kumar, V., Green, S., Stack, G., Berry, M., Jin, J.-R., and Chambon, P. (1987) Functional domains of the human estrogen receptor. *Cell* 51:941-951.

Kupfer, D. (1987-88) Critical evaluation of methods for detection and assessment of estrogenic compounds in mammals: Strengths and limitations for application to risk assessment. *Reprod Toxicol* 1: 147-153.

Love, J.D., Gooch, J.T., Nagy, L., Chatterjee, V.K.K., and Schwabe, J.W.R. (2000) Transcriptional repression by nuclear receptors: Mechanisms and role in disease. *Biochem Soc Trans* 28:390-396.

Lundblad, J.R, Laurance, M, and Goodman, R.H. (1996) Fluorescence polarization analysis of protein-DNA and protein-protein interactions. *Mol Endocrinol* 10:607-612.

Matthews, J., Celius, T., Halgren, R., and Zacharewski, T. (2000) Differential estrogen receptor binding of estrogenic substances: A species comparison. *J Steroid Biochem Mol Biol* 74:223-234.

Matthews, J., and Zacharewski, T. (2000) Differential binding affinities of PCBs, HO-PCBs, and aroclors with recombinant human, rainbow trout (*Onchorhynnis mykiss*), and green anole (*Anolis carolinensis*) estrogen receptors, using a semi-high throughput competitive binding assay. *Toxicol Sci* 53:326-339.

McDonnell, D.P. (1999) The molecular pharmacology of SERMs. *Trends Endocrinol Metab* 10:301-311.

The Merck Index: Twelfth Edition on CD-ROM. (1996). Whitehouse Station, NJ: Merck & Co, Inc.

Mekenyany, O.G., Kamenska V., Schmieder P.K., Ankley G.T., Bradbury S.P. (2000). A computationally based identification algorithm for estrogen receptor ligands: Part 2. Evaluation of a hER binding affinity model. *Toxicol Sci* 58:270-281

Motulsky, H. The GraphPad Guide to Analyzing Radioligand Binding Data. 1995-1996. GraphPad Software, Inc, San Diego, CA. Available: <http://www.graphpad.com> [Accessed on 12 July 2002].

Muller, J., Rajpert-De Meyts, E., Scheike, T., Sharpe, R., Sumpter, J., and Skakkebaek, N.E. (1996) Male reproductive health and environmental xenoestrogens. *Environ Health Perspect* 104(Suppl 4):741-803.

NAS. (1999) Hormonally Active Agents in the Environment. National Academy Press, Washington, DC.

National Library of Medicine, Specialized Information Services, Chemical Information. ChemIDPlus. Available: <http://sis.nlm.nih.gov/Chem/ChemMain.html> [Accessed on 12 July 2002].

Noteboom, W., and Gorski, J. (1965) Stereospecific binding of estrogens in the rat uterus. *Arch Biochem Biophys* 111:559-568.

Notides, A.C. (1970) Binding affinity and specificity of the estrogen receptor of the rat uterus and anterior pituitary. *Endocrinology* 87:987-992.

Ozers, M.S., Hill, J.J., Ervin, K., Wood, J.R., Nardulli, A.M., Royer, C.A., and Gorski, J. (1997) Equilibrium binding of estrogen receptor with DNA using fluorescence anisotropy. *J Biol Chem* 272(48):30405-30411.

Petit, F., Valotaire, Y., and Pakdel, F. (1995) Differential functional activities of rainbow trout and human estrogen receptors expressed in the yeast *Saccharomyces cerevisiae*. *Eur J Biochem* 233:584-92.

Phillips, B. (2000) Comments on the European Community strategy for endocrine disruptors. ATLA 28:517-522.

Pike, A.C.W., Brzozowski, A.M., Walton, J., Hubbard, R.E., Bonn, T., Gustafsson, J.-Å., and Carlquist, M. (2000) Structural aspects of agonism and antagonism in the oestrogen receptor. Biochem Soc Trans 28(part 4):396-400.

Public Law 104-170. Food Quality Protection Act (FQPA) of 1996. Available: <http://www.epa.gov/oppsps1/fqpa/gpogate.pdf> [accessed 15 July 2002].

Public Law 104-182. Safe Drinking Water Act Amendments (SDWA) of 1996. Available: <http://www.epa.gov/safewater/sdwa/theme.html> [accessed 15 July 2002].

Public Law 105-115. Food and Drug Administration Modernization Act of 1997. Available: <http://www.access.gpo.gov/nara/publaw/105publ.html> [accessed 26 July 2002].

Public Law 106-545. ICCVAM Authorization Act of 2000. [114 Stat. 2721]. Available: <http://iccvam.niehs.nih.gov/about/PL106545.pdf> [accessed 15 July 2002].

Puca, G.A., and Bresciani, F. (1969) Association constant and specificity of oestradiol-receptor interaction. Nature 223:745-747.

Purdom, C.E., Hardiman, P.A., Bye, V.J., Eno, N.C., Tyler, C.R., and Sumpter, J.P. (1994). Estrogenic effects of effluents from sewage treatment works. Chem Ecol 8:275-285.

Safe S.H. (2000) Endocrine disruptors and human health--is there a problem? An update. Environ Health Perspect 108:487-493

Salomonsson, M., Carlsson B., Hagblad, J. (1994). Equilibrium hormone binding to human estrogen receptors in highly diluted cell extracts is non-cooperative and has a Kd of approximately 10 pM. J Steroid Biochem Molec Biol 50(5/6):313-318.

Scatchard, G. (1949) The attractions of proteins for small molecules and ions. Ann NY Acad Sci 51:660-672.

Shafie, S., and Brooks, S.C. (1979) Characteristics of the dextran-coated charcoal assay for estradiol receptor in breast cancer preparations. J Lab Clin Med 94:784-798.

Sharpe, R.M., and Skakkebaek, N.E. (1993) Are oestrogens involved in falling sperm counts and disorders of the male reproductive tract? Lancet 341:1992.

Shelby, M.D., Newbold, R.R., Tully, D.B., Chae, K., and Davis, V.L. (1996) Assessing environmental chemicals for estrogenicity using a combination of *in vitro* and *in vivo* assays. Environ Health Perspect 104:1296-1300.

Shyamala, G., and Gorski, J. (1968) Estrogen receptors in the rat uterus. Studies on the interaction of cytosol and nuclear binding sites. *J Biol Chem* 244:1097-1103.

Sumida, K., Ooe, N., Nagahori, H., Saito, K., Isobe, N., Kaneko, H., and Nakatsuka, I. (2001) An *in vitro* reporter gene assay method incorporating metabolic activation with human and rat S9 or liver microsomes. *Biochem Biophys Res Commun* 280: 85-91.

Toft, D., and Gorski, J. (1965) A receptor protein for estrogens: its isolation from the rat uterus and preliminary characterization. *J Cell Biol* 27:107A-108A.

Toft, D., and Gorski, J. (1966) A receptor molecule for estrogens: isolation from the rat uterus and preliminary characterization. *Proc Natl Acad Sci USA* 55:1574-1581.

Toft, D., Shyamala, G., and Gorski, J. (1967) A receptor molecule for estrogens: Studies using a cell-free system. *Proc Natl Acad Sci USA* 57:1740-1743.

Toppari, J., Larsen, J.C., Christiansen, P., Giwercman, A., Grandjean, P., Guillette, L.J. Jr., Jegou, B., Jensen, T.K., Jouannet, P., Keiding, N., Leffers, H., McLachlan, J.A., Meyer, O., Muller, J., Rajpert-De Meyts, E., Scheike, T., Sharpe, R., Sumpter, J., and Skakkebaek, N.E. (1996) Male reproductive health and environmental xenoestrogens. *Environ Health Perspect* 104(Suppl 4):741-803.

Toxic Substances Control Act (TSCA) of 1976. 15 U.S.C. Sections 2601-2629. Available: <http://www.epa.gov/region5/defs/html/tscact.htm> [accessed 15 July 2002].

U.S. EPA. (1997) Special Report on Environmental Endocrine Disruption; An Effects Assessment and Analysis. EPA/630/R-96/012. Available: <http://www.epa.gov/ORD/WebPubs/endocrine/endocrine.pdf> [accessed 15 July 2002].

U.S. EPA. (1998a) Endocrine Disruptor Screening and Testing Advisory Committee (EDSTAC) Final Report. EPA/743/R-98/003. Available: <http://www.epa.gov/scipoly/oscpendo/history/finalrpt.htm> [accessed 15 July 2002].

U.S. EPA. (1998b) Endocrine Disruptor Screening Program; Proposed Statement of Policy. 63 FR 71542-71568.

U.S. EPA. (1999) Review of the EPA's Proposed Environmental Endocrine Disruptor Screening Program by a Joint Subcommittee of the Science Advisory Board and Scientific Advisory Panel. EPA-SAB-EC-99-013.

U.S. EPA. (2000) Environmental Protection Agency: Report to Congress – August 2000.

U.S. EPA. (2001) Good Laboratory Practices. Toxic Substances Control Act. 40 CFR 792.

U.S. EPA. (2002) Good Laboratory Practice Standards. Federal Insecticide, Fungicide and Rodenticide Act. 40 CFR 160.

Zacharewski, T.R. (1998) Identification and assessment of endocrine disruptors: Limitations of *in vivo* and *in vitro* assays. Environ Health Perspect 106(Suppl 2): 577-582.

Zacharewski, T.R. (1997) *In vitro* bioassays for assessing estrogenic substances. Environ Sci Technol 31: 613-623.